


# Firenze

design by Landa R&D



WALL LAMP

PENDANT

BOLLARD

POLE


**EN** Firenze is a series of lighting fixtures that evokes the timeless elegance of the Renaissance city from which it takes its name. This line is distinguished by its refinement and attention to detail, with EN47100 die-cast aluminium elements with the option of an aluminium or copper cap that reflect the artistic and architectural nuances of the Tuscan city. The versatility of Firenze is reflected in its many configurations: wall sconce, suspension, pole, and bollard, each designed to create a welcoming and refined atmosphere.

**IT** Firenze è una serie di apparecchi illuminanti che evoca l'eleganza senza tempo della città rinascimentale da cui prende il nome. Questa linea si distingue per la sua raffinatezza e attenzione ai dettagli, con elementi in alluminio pressofuso EN47100 con possibilità di avere il cappello in alluminio o in rame che riflettono le sfumature artistiche e architettoniche della città toscana. La versatilità di Firenze si manifesta nelle sue molteplici configurazioni: applique da parete, sospensione, pali e bollard, ognuno progettato per creare un'atmosfera accogliente e raffinata.

# Firenze




aluminium top



copper top



upwards wall lamp  
cod. 00




downwards wall lamp  
cod. 01




pendant  
cod. 02




bollard  
cod. 33




bollard  
cod. 44



pole  
cod. PF4



pole  
cod. PF5



pole  
cod. PR4



pole  
cod. PR5








pole  
cod. PR6

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

## WALL LAMP | PENDANT | BOLLARD | POLE

330 ---	<i>Finishing</i>	<b>G</b>	Black		
		<b>P</b>	Black/Green		
		<b>R</b>	Black/Silver		
		<b>S</b>	Black/Copper		
		<b>U</b>	White		
	<i>Installation</i>	<b>00</b>	Upwards wall lamp		
		<b>01</b>	Downwards wall lamp		
		<b>02</b>	Pendant		
		<b>33</b>	Bollard h. 53 cm		
		<b>44</b>	Bollard h. 116 cm		
		<b>PF4</b>	pole 1L h. 155 cm *		
		<b>PF5</b>	pole 1L h 211 cm *		
		<b>PR4</b>	pole 1L h. 135 cm *		
	<i>Variant</i>	<b>.</b>	Aluminium top		
		<b>A</b>	Copper top		
	<i>Example</i>	<b>330 A 01 G</b>			

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm


## AVAILABLE ACCESSORIES

Code	Description	Page
<b>00APF6</b>	Anchor bolt for poles PF4/PF5/PF6	177
<b>00APR6</b>	Anchor bolt for poles PR5/PR6	177
<b>00108G</b>	Corner bracket	176
<b>0404M003</b>	Loop in loop out IP68	176
<b>0404M004</b>	Single connection IP68	176



\* post and head complete height


# Firenze




aluminium top




1 light head



2 lights head  
cod. T2




3 lights head  
cod. T3



Pole cod.  
PF6



Pole  
cod. PF7




Pole  
cod. PE7



Pole cod.  
PF8



Pole cod.  
PE8



Pole cod.  
PR7








Pole cod.  
PR8

## MATERIALS






Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### POLE 1 LIGHT

330 ---	Finishing	<b>G</b>	Black		
		<b>P</b>	Black/Green		
		<b>R</b>	Black/Silver		
		<b>S</b>	Black/Copper		
		<b>U</b>	White		
	Pole style	<b>PF6</b>	pole 1L h. 249 cm *		
		<b>PF7</b>	pole 1L h. 191 cm *		
		<b>PF8</b>	pole 1L h. 249 cm *		
		<b>PE7</b>	pole 1L h. 191 cm *		
		<b>PE8</b>	pole 1L h. 249 cm *		
<b>PR7</b>		adjustable h. 150-215 cm *			
Variant	<b>PR8</b>	adjustable h. 180-245 cm *			
	.	Aluminium top			
Example		<b>330.PF8 G</b>			

### POLE 2 OR 3 LIGHT

330 ---	Finishing	<b>G</b>	Black		
		<b>P</b>	Black/Green		
		<b>R</b>	Black/Silver		
		<b>S</b>	Black/Copper		
		<b>U</b>	White		
	Lights	<b>T2</b>	2 lights		
		<b>T3</b>	3 lights		
	Pole style	<b>PF8</b>	pole h. 249 cm *		
		<b>PE8</b>	pole h. 249 cm *		
		<b>PR8</b>	adjustable h. 180-245 cm *		
Variant	.	Aluminium top			
	<b>A</b>	Copper top			
Example		<b>330.PF8 T3 G</b>			

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	<b>E27</b>	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
<b>00APF8</b>	Anchor bolt for poles PF7/PF8/PE7/PE8	177
<b>00APR8</b>	Anchor bolt for poles PR7/PR8	177
<b>0404M003</b>	Loop in loop out IP68	176
<b>0404M004</b>	Single connection IP68	176

\* post and head complete height