


Oslo

design by Landa R&D



WALL LAMP

PENDANT


BOLLARD

POLE

EN Oslo is inspired by the majestic forms of Norwegian 'stavkirke' (stave churches) and Scandinavian architecture. The notoriously elaborate and imposing Gothic structures are reflected in the tapered lines and ornate details of Oslo, made of EN47100 die-cast aluminium with a glass diffuser. With options ranging from wall sconces to suspensions and from bollards to poles, this range offers versatile lighting solutions for pathways, gardens, and façades, embellishing any environment with a touch of Nordic austerity.

IT Oslo è ispirata alle forme maestose delle stavkirke norvegesi e all'architettura scandinava. Le strutture gotiche, notoriamente elaborate e imponenti, si rispecchiano nelle linee affusolate e nei dettagli ornati di Oslo, realizzate in alluminio pressofuso EN47100 con diffusore in vetro. Con opzioni che vanno dalle applique murali alle sospensioni e dai bollard ai pali, questa gamma offre soluzioni di illuminazione versatile per vialetti, giardini e facciate, impreziosendo ogni ambiente con un tocco di austerità nordica.

Oslo



upwards wall lamp
cod. 00




downwards wall lamp
cod. 01




pendant
cod. 02



Bollard
cod. 33



Bollard
cod. 44




Pole cod.
PF5/PF6

MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint





ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 12cm

ORDER CODE

WALL LAMP | PENDANT | BOLLARD

301 _ _ _





<i>Finishing</i>	G	Black	
	P	Black/Green	
	S	Black/Copper	
	U	White	
<i>Installation</i>	00	Upwards wall lamp	
	01	Downwards wall lamp	
	02	Pendant	
	33	Bollard h. 49 cm	
	44	Bollard h. 121 cm	
<i>Diffuser</i>	.	Transparent	
<i>Example</i>	301 . 00 G		

AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF5/PF6	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

POLE 3 LIGHTS

301 _ _ T3 _

<i>Finishing</i>	G	Black	
	P	Black/Green	
	S	Black/Copper	
	U	White	
<i>Pole style</i>	PF5	pole h. 209 cm *	
	PF6	pole h. 247 cm *	
<i>Diffuser</i>	.	Transparent	
<i>Example</i>	301 . PF5 T3 G		



* post and head complete height