


Pisa

design by Landa R&D



WALL LAMP

PENDANT


BOLLARD

POLE

EN Pisa combines robust materials and a classic design to offer an elegant and durable lighting solution. The lamp body is made of EN47100 die-cast aluminium, known for its corrosion resistance and durability. The glass diffuser not only protects the internal components, but also ensures optimal light fruition. Complemented by a polyester powder coating finish, this product is ideal for adding a touch of traditional style to outdoor spaces.

IT Pisa combina materiali robusti e un design classico per offrire una soluzione di illuminazione elegante e durevole. Il corpo della lampada è realizzato in alluminio pressofuso EN47100, noto per la sua resistenza alla corrosione e durata. Il diffusore in vetro non solo protegge i componenti interni, ma garantisce anche una fruizione ottimale della luce. Completata da una finitura in vernice a polvere di poliestere, questo prodotto è ideale per aggiungere un tocco di stile tradizionale agli spazi esterni.


Pisa



upwards wall lamp
cod. 00




downwards wall lamp
cod. 01




pendant
cod. 02



Bollard
cod. 33



Bollard
cod. 44







Pole cod.
PF5/PF6

MATERIALS





| | |
|-----------|----------------------------|
| Body | Die-cast aluminium EN47100 |
| Diffuser | Glass |
| Finishing | Polyester powder paint |

ORDER CODE

WALL LAMP | PENDANT | BOLLARD

| | | | | | |
|-----------|--------------|----|---------------------|---|--|
| 300 _ _ _ | Finishing | G | Black |  | |
| | | P | Black/Green |  | |
| | | S | Black/Copper |  | |
| | | U | White |  | |
| | Installation | 00 | Upwards wall lamp | | |
| | | 01 | Downwards wall lamp | | |
| | | 02 | Pendant | | |
| | | 33 | Bollard h. 46 cm | | |
| | | 44 | Bollard h. 118 cm | | |
| | Diffuser | . | Transparent | | |
| Example | 300 . 00 G | | | | |

POLE 3 LIGHTS

| | | | | | |
|--------------|------------|----------------|------------------|---|--|
| 300 _ _ T3 _ | Finishing | G | Black |  | |
| | | P | Black/Green |  | |
| | | S | Black/Copper |  | |
| | | U | White |  | |
| | Pole style | PF5 | pole h. 207 cm * | | |
| | | PF6 | pole h. 245 cm * | | |
| | Diffuser | . | Transparent | | |
| | Example | 300 . PF5 T3 G | | | |

ELECTRIFICATION

| | | | |
|---|-----------|-------------|----------------|
| Bulb | Base type | Max wattage | Bulb dimension |
|  | E27 | 25 W | Ø 6 x 12cm |

AVAILABLE ACCESSORIES

| Code | Description | Page |
|----------|-------------------------------|------|
| 00APF6 | Anchor bolt for poles PF5/PF6 | 176 |
| 00108G | Corner bracket | 177 |
| 0404M003 | Loop in loop out IP68 | 176 |
| 0404M004 | Single connection IP68 | 176 |



* post and head complete height