


Amalfi

design by Landa R&D



WALL LAMP

| BOLLARD

| POLE


EN Amalfi is a wall, bollard and pole mounting luminaire with a spherical opal PMMA diffuser in three different sizes.

The pole, the bollard and the wall mounting support, in EN47100 die-cast aluminium available in 4 finishes, evoke the iconic Baroque shapes for a product that is as poetic and evocative as the coast from which it takes its name.


IT Amalfi è un apparecchio per applicazioni da parete, da bollard e da palo con diffusore in PMMA opale dalla forma sferica in tre diverse dimensioni.

Il palo, il bollard e il supporto di fissaggio a muro, in alluminio pressofuso EN47100 disponibile in 4 finiture, rievocano le iconiche forme barocche per un prodotto poetico ed evocativo, come la costa da cui prende il nome.


Amalfi Mini




upwards wall lamp
cod. 00




bollard
cod. 33




bollard
cod. 44



2 lights head
cod. T2



3 lights head
cod. T3



Pole
cod. PF5







Pole
cod. PR7

MATERIALS

| | |
|-----------|----------------------------|
| Body | Die-cast aluminium EN47100 |
| Diffuser | Opal PMMA |
| Finishing | Polyester powder paint |





ORDER CODE

WALL LAMP | BOLLARD

| | | | | | |
|-----|--------------|-----------|-------------------|---|--|
| 320 | Finishing | G | Black |  | |
| | | P | Black/Green |  | |
| | | S | Black/Copper |  | |
| | | U | White |  | |
| | Installation | 00 | Upwards wall lamp | | |
| | | 33 | Bollard h. 40 cm | | |
| | | 44 | Bollard h. 98 cm | | |
| | Diffuser | . | Opal | | |

Example 320 . 00 G

POLE 2 OR 3 LIGHTS

| | | | | | |
|-----|------------|------------|-------------------------------|---|--|
| 320 | Finishing | G | Black |  | |
| | | P | Black/Green |  | |
| | | S | Black/Copper |  | |
| | | U | White |  | |
| | Lights | T2 | 2 lights | | |
| | | T3 | 3 lights | | |
| | Pole style | PF5 | pole h. 210 cm * | | |
| | | PR7 | adjustable h. 149-214 cm * | | |
| | Diffuser | . | Opal | | |

Example 320 . PF5 T2 G

ELECTRIFICATION

| | | | |
|---|------------|-------------|----------------|
| Bulb | Base type | Max wattage | Bulb dimension |
|  | E27 | 25 W | Ø 6 x 12cm |


AVAILABLE ACCESSORIES

| Code | Description | Page |
|-----------------|---------------------------|------|
| 00APF6 | Anchor bolt for poles PF5 | 177 |
| 00APR8 | Anchor bolt for poles PR7 | 177 |
| 00108G | Corner bracket | 176 |
| 0404M003 | Loop in loop out IP68 | 176 |
| 0404M004 | Single connection IP68 | 176 |



* post and head complete height


Amalfi



upwards wall lamp
cod. 00




bollard
cod. 33




bollard
cod. 44




1 light head



2 lights head
cod. T2



3 lights head
cod. T3




Pole
cod. PF4




Pole
cod. PF7



Pole
cod. PE7



Pole
cod. PF5/PF6




Pole
cod. PF8



Pole
cod. PE8




Pole
cod. PR4



Pole
cod. PR5/PR6



Pole
cod. PR7







Pole
cod. PR8

MATERIALS





| | |
|-----------|----------------------------|
| Body | Die-cast aluminium EN47100 |
| Diffuser | Opal PMMA |
| Finishing | Polyester powder paint |

ORDER CODE





WALL LAMP | BOLLARD

| | | | | |
|--------------|-----------|-------------------|--------------|---|
| 322 | Finishing | G | Black |  |
| | | P | Black/Green |  |
| | | S | Black/Copper |  |
| | | U | White |  |
| Installation | 00 | upwards wall lamp | | |
| | 33 | Bollard h. 40 cm | | |
| | 44 | Bollard h. 104 cm | | |
| Diffuser | . | Opal | | |
| | Example | 322 . 00 G | | |


POLE 1 LIGHT

| | | | | |
|------------|----------------------------|----------------------------|--------------|---|
| 322 | Finishing | G | Black |  |
| | | P | Black/Green |  |
| | | S | Black/Copper |  |
| | | U | White |  |
| Pole style | PF4 | pole 1L h. 149 cm * | | |
| | PF5 | pole 1L h. 205 cm * | | |
| | PF6 | pole 1L h. 243 cm * | | |
| | PF7 | pole 1L h. 185 cm * | | |
| | PF8 | pole 1L h. 243 cm * | | |
| | PE7 | pole 1L h. 185 cm * | | |
| | PE8 | pole 1L h. 243 cm * | | |
| | PR4 | pole 1L h. 129 cm * | | |
| | PR5 | adjustable h. 119-184 cm * | | |
| | PR6 | adjustable h. 138-222 cm * | | |
| PR7 | adjustable h. 144-209 cm * | | | |
| Diffuser | . | Opal | | |
| | Example | 322 . PF5 G | | |

POLE 2 OR 3 LIGHTS

| | | | | |
|------------|-----------|---------------------------|--------------|---|
| 322 | Finishing | G | Black |  |
| | | P | Black/Green |  |
| | | S | Black/Copper |  |
| | | U | White |  |
| Lights | T2 | 2 lights | | |
| | T3 | 3 lights | | |
| Pole style | PF8 | pole h. 256 cm * | | |
| | PE8 | pole h. 256 cm * | | |
| | PR8 | adjustable h 187-252 cm * | | |
| Diffuser | . | Opal | | |
| | Example | 322 . PF5 T2 G | | |

ELECTRIFICATION


| Bulb | Base type | Max wattage | Bulb dimension |
|---|-----------|-------------|----------------|
|  | E27 | LED 25W | Ø 6 x 15cm |

AVAILABLE ACCESSORIES


| Code | Description | Page |
|----------|---------------------------------------|------|
| 00APF6 | Anchor bolt for poles PF4/PF5/PF6 | 177 |
| 00APF8 | Anchor bolt for poles PF7/PF8/PE7/PE8 | 177 |
| 00APR6 | Anchor bolt for poles PR5/PR6 | 177 |
| 00APR8 | Anchor bolt for poles PR7/PR8 | 177 |
| 00108G | Corner bracket | 176 |
| 0404M003 | Loop in loop out IP68 | 176 |
| 0404M004 | Single connection IP68 | 176 |

* post and head complete height


Amalfi Short




upwards wall lamp
cod. 00




2 lights head
cod. T2



3 lights head
cod. T3



Pole
cod. PF5



Pole
cod. PR7





MATERIALS

| | |
|-----------|----------------------------|
| Body | Die-cast aluminium EN47100 |
| Diffuser | Opal PMMA |
| Finishing | Polyester powder paint |

ORDER CODE

WALL LAMP

321.00 _

| | | | |
|-----------|----------|--------------|---|
| Finishing | G | Black |  |
| | P | Black/Green |  |
| | S | Black/Copper |  |
| | U | White |  |
| Diffuser | . | Opal | |

Example 321 . 00 G


POLE 2 OR 3 LIGHTS

321 _ _ _

| | | | |
|------------|------------|-------------------------------|---|
| Finishing | G | Black |  |
| | P | Black/Green |  |
| | S | Black/Copper |  |
| | U | White |  |
| Lights | T2 | 2 lights | |
| | T3 | 3 lights | |
| Pole style | PF5 | pole h. 218 cm * | |
| | PR7 | adjustable h. 157-222 cm * | |
| Diffuser | . | Opal | |

Example 321 . PF5 T2 G

ELECTRIFICATION

| | | | |
|---|------------|-------------|----------------|
| Bulb | Base type | Max wattage | Bulb dimension |
|  | E27 | LED 25 W | Ø 6 x 15cm |


AVAILABLE ACCESSORIES

| Code | Description | Page |
|-----------------|---------------------------|------|
| 00APF6 | Anchor bolt for poles PF5 | 177 |
| 00APR8 | Anchor bolt for poles PR7 | 177 |
| 00108G | Corner bracket | 176 |
| 0404M003 | Loop in loop out IP68 | 176 |
| 0404M004 | Single connection IP68 | 176 |




* post and head complete height


Amalfi Maxi



upwards wall lamp
cod. 00




bollard
cod. 33




bollard
cod. 44




1 light head



2 lights head
cod. T2



3 lights head
cod. T3




Pole
cod. PF4



Pole
cod. PF7




Pole
cod. PE7



Pole
cod. PF5/PF6




Pole
cod. PF8/PF9




Pole
cod. PE8/PE9



Pole
cod. PR4



Pole
cod. PR5/PR6



Pole
cod. PR7







Pole
cod. PR8

MATERIALS





| | |
|-----------|----------------------------|
| Body | Die-cast aluminium EN47100 |
| Diffuser | Opal PMMA |
| Finishing | Polyester powder paint |

ORDER CODE





WALL LAMP | BOLLARD

| | | | | | |
|-----|--------------|---------------------------|-------------------|---|--|
| 323 | Finishing | G | Black |  | |
| | | P | Black/Green |  | |
| | | S | Black/Copper |  | |
| | | U | White |  | |
| | Installation | 00 | Upwards wall lamp | | |
| | | 33 | Bollard h. 54 cm | | |
| | | 44 | Bollard h. 108 cm | | |
| | Diffuser | . | Opal | | |
| | | Example 323 . 00 G | | | |


POLE 1 LIGHT

| | | | | | | |
|-----|------------|------------|----------------------------|---|--|--|
| 323 | Finishing | G | Black |  | | |
| | | P | Black/Green |  | | |
| | | S | Black/Copper |  | | |
| | | U | White |  | | |
| | Pole style | PF4 | pole 1L h. 156 cm * | | | |
| | | PF5 | pole 1L h. 212 cm * | | | |
| | | PF6 | pole 1L h. 250 cm * | | | |
| | | PF7 | pole 1L h. 192 cm * | | | |
| | | PF8 | pole 1L h. 250 cm * | | | |
| | | PF9 | pole 1L h. 288 cm * | | | |
| | | PE7 | pole 1L h. 192 cm * | | | |
| | | PE8 | pole 1L h. 250 cm * | | | |
| | | PE9 | pole 1L h. 288 cm * | | | |
| | | PR4 | pole 1L h. 136 cm * | | | |
| | | PR5 | adjustable h. 126-191 cm * | | | |
| | | PR6 | adjustable h. 145-229 cm * | | | |
| | | PR7 | adjustable h. 151-216 cm * | | | |
| | | PR8 | adjustable h. 181-246 cm * | | | |
| | | Diffuser | . | Opal | | |
| | | | Example 323 . PF5 G | | | |

POLE 2 OR 3 LIGHTS

| | | | | | |
|----------|-------------------------------|------------|---------------------------|---|--|
| 323 | Finishing | G | Black |  | |
| | | P | Black/Green |  | |
| | | S | Black/Copper |  | |
| | | U | White |  | |
| | Lights | T2 | 2 lights | | |
| | | T3 | 3 lights | | |
| | Pole style | PF8 | pole h. 263 cm * | | |
| | | PF9 | pole h. 301 cm * | | |
| | | PE8 | pole h. 263 cm * | | |
| | | PE9 | pole h. 301 cm * | | |
| | | PR6 | adjustable h 162-246 cm * | | |
| | | PR8 | adjustable h 198-263 cm * | | |
| Diffuser | . | Opal | | | |
| | Example 323 . PF8 T3 G | | | | |

ELECTRIFICATION

| Bulb | Base type | Max wattage | Bulb dimension |
|---|------------|-------------|----------------|
|  | E27 | LED 25 W | Ø 6 x 15cm |

AVAILABLE ACCESSORIES

| Code | Description | Page |
|-----------------|---|------|
| 00APF6 | Anchor bolt for poles PF4/PF5/PF6 | 177 |
| 00APF8 | Anchor bolt for poles PF7/PF8/PF9/PE7/PE8/PE9 | 177 |
| 00APR6 | Anchor bolt for poles PR5/PR6 | 177 |
| 00APR8 | Anchor bolt for poles PR7/PR8 | 177 |
| 00108G | Corner bracket | 176 |
| 0404M003 | Loop in loop out IP68 | 176 |
| 0404M004 | Single connection IP68 | 176 |

* post and head complete height