


Nizza

design by Landa R&D



WALL LAMP

PENDANT





BOLLARD

POLE

EN Nizza, inspired by the lively atmosphere and elegance of the famous Côte d'Azur city, reflects a harmony of style and functionality. This lighting series combines a classic structure with an aged copper finish that recalls the charm of old European maritime cities. With mounting options that include wall sconces, suspension lamps, bollards, and poles of various heights, Nizza is perfect for any outdoor space, from private gardens to city streets, offering a warm and welcoming light. The series is versatile and durable, designed to withstand the elements and illuminate spaces with a touch of timeless elegance.

IT Nizza, ispirata alla vivace atmosfera e all'eleganza della celebre città della Costa Azzurra, riflette un'armonia di stile e funzionalità. Questa serie di apparecchi illuminanti combina una struttura classica con una finitura in rame invecchiato che richiama il fascino delle vecchie città marittime europee. Con opzioni di montaggio che includono applique da parete, lampade a sospensione, bollard e pali di varie altezze, Nizza è perfetta per ogni spazio esterno, da giardini privati a vie cittadine, offrendo una luce calda e accogliente. La serie è versatile e duratura, progettata per resistere agli elementi e illuminare gli spazi con un tocco di raffinatezza senza tempo.

Nizza_1







MATERIALS





Body	Die-Cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

ORDER CODE





WALL LAMP | BOLLARD | PENDANT

391 ---	Finishing	G	Black	
		P	Black/Green	
		S	Black/Copper	
		U	White	
	Installation	00	Upwards wall lamp	
		01	Downwards wall lamp	
		02	Pendant	
		33	Bollard h. 54 cm	
		44	Bollard h. 115 cm	
	Diffuser	.	Transparent	
		Example	391 . 00 G	


POLE 1 LIGHT

391 ---	Finishing	G	Black		
		P	Black/Green		
		S	Black/Copper		
		U	White		
	Pole style	PF4	pole 1L h. 156 cm *		
		PF5	pole 1L h. 212 cm *		
		PF6	pole 1L h. 250 cm *		
		PF7	pole 1L h. 192 cm *		
		PF8	pole 1L h. 250 cm *		
		PE7	pole 1L h. 192 cm *		
		PE8	pole 1L h. 250 cm *		
		PR4	pole 1L h. 136 cm *		
		PR5	adjustable h. 126/191 cm *		
		PR6	adjustable h. 145/229 cm *		
		PR7	adjustable h. 151/216 cm *		
		Diffuser	.	Transparent	
			Example	391 . PF5 G	

POLE 2 OR 3 LIGHTS

391 ---	Finishing	G	Black	
		P	Black/Green	
		S	Black/Copper	
		U	White	
	Lights	T2	2 lights	
		T3	3 lights	
	Pole style	PF8	pole h. 255 cm *	
		PE8	pole h. 255 cm *	
		PR8	adjustable h. 186/251 cm *	
	Diffuser	.	Transparent	
		Example	391 . PF8 T2 G	

ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 12cm

AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

* post and head complete height


Nizza_2



upwards wall lamp
cod. 00




downwards wall lamp
cod. 01



pendant
cod. 02



Bollard
cod. 33



Bollard
cod. 44

MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint





ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 12cm

ORDER CODE

WALL LAMP | BOLLARD | PENDANT

390 _ _ _

Finishing	G	Black	
	P	Black/Green	
	S	Black/Copper	
	U	White	
Installation	00	Upwards wall lamp	
	01	Downwards wall lamp	
	02	Pendant	
	33	Bollard h. 49 cm	
	44	Bollard h. 110 cm	
Diffuser	.	Transparent	
Example	390 . 00 G		

AVAILABLE ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176
0404M003	Loop in loop out IP68	176
00108G	Corner bracket	176