


Morphis

design by Landa R&D



HEAD POST | WALL LAMP | PENDANT | BOLLARD | POLE

EN The shape of old lanterns, typical of the outdoor lighting tradition for Morphis: the classic transported into the contemporary. Diffused light and an extra-clear polycarbonate diffuser. A luminaire for illuminating driveways and outdoor paths, available for wall, suspension, bollard, and aluminium pole applications in different heights and 6 colour variants.


IT La forma delle vecchie lanterne, tipiche della tradizione illuminotecnica da esterni per Morphis: il classico trasportato nella contemporaneità. Una luce diffusa e uno schermo extra chiaro in polycarbonato. Un apparecchio per illuminare strade di accesso e vialetti esterni, disponibile per applicazioni a muro, sospensione, bollard e con palo in alluminio di differenti altezze e disponibile in 6 varianti colore.

Morphis_1

IP65

EAC


CE



head post
cod. TSE27




bollard
cod. 33




bollard
cod. 095



pole 1L
cod. 180



pole 1L
cod. 200



pole 1L
cod. 300

MATERIALS


Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

ORDER CODE

BOLLARD | POLE | HEAD POST

177

<



base dimensions

ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

INCLUDED ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176

AVAILABLE ACCESSORIES

Code	Description	Page
00A170.01P	Anchor bolt (not available for 177.33)	177
0404M003	Loop in loop out connection IP68	176
00KR175U	Refractor	176




Morphis_2

IP65

EAC


CE




upwards wall lamp
cod. 00




pendant
cod. 02



pole 1L
cod. P1



pole 2L
cod. P2



pole 3L
cod. P3

MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

ORDER CODE

WALL LAMP | POLE

175	Finishing	G	Black	
		L	Graphite	
		P	Black/Green	
		R	Black/Silver	
		S	Black/Copper	
		V	Oxide	
	Installation	00	Upwards wall lamp	
		P1	pole 1L	
		P2	pole 2L	
		P3	pole 3L	
	Diffuser	.	Transparent	
Example		175 . P1 G		

PENDANT

176.02 _

Finishing

G	Black	
L	Graphite	
P	Black/Green	
R	Black/Silver	
S	Black/Copper	
V	Oxide	

Example

176.02 G

ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

INCLUDED ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176

AVAILABLE ACCESSORIES

Code	Description	Page
00A170.01P	Anchor bolt	177
00596_	Corner bracket (available in different colours, see accessories section)	176
0404M003	Loop in loop out connection IP68	176
00KR175U	Refractor	176



base dimensions




Morphis_3

IP65

EAC


CE




downwards wall lamp
cod. 01




pendant
cod. 02



pole 1L
cod. P1



pole 2L
cod. P2



pole 3L
cod. P3


MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

ORDER CODE

WALL LAMP | PENDANT | POLE

176	Finishing	G	Black	
		L	Graphite	
		P	Black/Green	
		R	Black/Silver	
		S	Black/Copper	
		V	Oxide	
	Installation	01	Downwards wall lamp	
		02	Pendant	
		P1	pole 1L	
		P2	pole 2L	
		P3	pole 3L	
	Diffuser	.	Transparent	
Example		176 . P1 G		



base dimensions

ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

INCLUDED ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176

AVAILABLE ACCESSORIES

Code	Description	Page
00A170.01P	Anchor bolt	177
00596_	Corner bracket (available in different colours, see accessories section)	176
0404M003	Loop in loop out connection IP68	176
00KR175U	Refractor	176




Morphis Wall_1

IP65

EAC

CE

*transparent**Opal**half wall lamp*

MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Polycarbonate
Finishing	Polyester powder paint

ORDER CODE

WALL LAMP			
175 _ _	Finishing	G	Black
		L	Graphite
		P	Black/Green
		R	Black/Silver
		S	Black/Copper
		V	Oxide
	Diffuser		Transparent
		B	Opal
		BSEN	Opal with Sensor
	Example	175 G	
	Example	175 SEN P (Optional Sensor)	

ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

