

# Brick Light

design by Landa R&D



WALL RECESSED


**EN** Brick light is an ideal luminaire for recessed wall installation, providing diffused light to outdoor environments through 5 mm sandblasted and tempered glass. A luminaire available with or without a grill, extremely easy to install; a recessed luminaire in EN47100 die-cast aluminium with a front available in 4 colours and in AISI 316L stainless steel.

**IT** Brick light è un apparecchio ideale per installazioni ad incasso a parete, in grado di fornire una luce diffusa agli ambienti esterni attraverso un vetro sabbiato e temprato da 5 mm. Un apparecchio disponibile con o senza griglia, estremamente facile da installare; un incasso in alluminio pressofuso EN47100 con frontale disponibile in 4 varianti colore e in acciaio inox AISI 316L.


# Brick Light




## ALUMINIUM FRAME



recessed wall lamp  
cod. 410




recessed wall lamp  
cod. 411




open  
cod. 410



striped  
cod. 411




box dimension



## MATERIALS





Body	Die-Cast aluminium EN47100
Diffuser	Glass opal
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 12cm

## ORDER CODE

## WALL LAMP


41_ _	Finishing	G	Black	
		H	Grey	
		L	Graphite	
		U	White	
Type	0	Open		
	1	Striped		
Example		411 G		



# Brick Light Inox



## STAINLESS STEEL AISI 316 L



recessed wall lamp  
cod. 412Z


recessed wall lamp  
cod. 413Z



open inox  
cod. 412Z



striped inox  
cod. 413Z




box dimension

## MATERIALS


Body	Die-Cast aluminium EN47100
Diffuser	Glass opal
Finishing	Stainless steel AISI316L frame

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 12cm

## ORDER CODE

## WALL LAMP

4L -	Finishing	Z	Stainless steel AISI316L	
	Type	2	Open	
		3	Striped	
Example	413 Z			

